



# **DRAINAGE DESIGN MANAGEMENT SYSTEM FOR WINDOWS VERSION 5.6.0**

---

## **TUTORIAL # 3 DEVELOPING A NEW PROJECT USING RATIONAL METHOD**

---



**KVL Consultants, Inc.**

## DEVELOPING A NEW PROJECT USING RATIONAL METHOD

### TABLE OF CONTENTS

No.	Section	Page
1.0	INTRODUCTION.....	1
2.0	ESTABLISH A NEW PROJECT AND SET DATA DEFAULTS .....	1
3.0	UPDATE PROJECT DEFAULTS.....	2
4.0	SETTING THE MODEL RUNS PATH .....	3
5.0	ESTABLISHING RAINFALL DATA FOR THE PROJECT .....	3
5.1	GIS.....	4
5.2	MANUAL.....	5
6.0	REVIEW THE LAND USE DEFAULTS .....	7
7.0	ESTABLISH MAJOR BASIN ID'S .....	8
8.0	ESTABLISH THE SUB BASIN AND LAND USE DATA USING GIS .....	9
9.0	ESTABLISHING THE SUB BASIN DATA MANUALLY .....	12
10.0	ESTABLISHING THE LAND USE DATA MANUALLY .....	13
11.0	UPDATE SUB BASIN DATA - MANUAL .....	15
12.0	ESTABLISH CONVEYANCE FACILITY DATA.....	15
13.0	ESTABLISH THE MODEL NETWORK.....	19
14.0	RUN RATIONAL METHOD MODEL .....	22
15.0	UPDATE CONVEYANCE FACILITIES.....	24
16.0	BACKUP PROJECT .....	25

# DEVELOPING A NEW PROJECT USING RATIONAL METHOD

DATE UPDATED: APRIL 27, 2018


## 1.0 INTRODUCTION

This tutorial document is developed to guide users in developing a hydrology model using Rational Method. By following the procedure outlined in this document, one should become familiar with the approach with the ultimate objective of implementing the procedure to building a much larger hydrology model using the DDMSW program.

DDMSW has many capabilities not covered in this tutorial and it is recommended that you spend the time to read through the User's Manual and other supporting documents. Users are encouraged to explore the many features of the program through the use of pre-packaged example projects.

## 2.0 ESTABLISH A NEW PROJECT AND SET DATA DEFAULTS

After launching the program, select **"File → New Project"**. On the **NEW PROJECT OPTIONS** form, select the **Hydrology and Hydraulics** checkbox, and the **Standard** radio button as shown. Click the **OK** button to close the dialog box.




On the **SELECT PROJECT** form, type **"KVLEXAMPLE3A"** into the **Reference** textbox. This is the name of this newly created project. The users can choose the name as long as it does not exist in the DDMSW database. Each project must have a unique **Reference** (without spaces), a formal **Title**, **Location** and an **Agency** name (this can be your firm's name if you are a consultant). Then select the appropriate **Model** ('*Rational*' for this example), **Land Use**, **Rainfall**, **Roads** and **Inlet** project defaults. Also add any appropriate comments in the Comment Box.

After entering the data, press **‘Save’**. Then, press **‘OK’** to close the **‘SELECT PROJECT’** form. Hit ‘OK’ to continue.

### 3.0 UPDATE PROJECT DEFAULTS

Select **“File → Update Project Defaults”**. Check all the boxes and then press **‘Save’** and **‘Update’**.




Press **'Yes'** to continue. After the update, click **'OK'** to exit the **'UPDATE PROJECT DEFAULTS'** form.

## 4.0 SETTING THE MODEL RUNS PATH

When running models, the input and result files have similar file names for each project. To prevent one project from overwriting the results of another project, it is necessary to establish a unique directory for each project's model runs.

Go to **"File → Project Paths"** to establish the model runs path. Press the ellipse button ('...') to the right of the **Model Runs Path** textbox and navigate to an appropriate directory. Choose the folder as the model runs path or create one if the desired folder does not exist by pressing the **'Make New Folder'** button. Press **'OK'** to close the **'BROWSE FOR FOLDER'** form. Press **'Save'** to save the Project Path information. Click **'OK'** to exit the **'PROJECT PATHS'** form.



## 5.0 ESTABLISHING RAINFALL DATA FOR THE PROJECT

Select **'Hydrology → Rainfall'** and click on the dropdown menu under **DATA SOURCE**

data group to select either 'Manual' or 'GIS'. After the rainfall data has been evaluated, the Rainfall Intensity graph can be viewed in '**Hydrology → Rational Method → Rainfall Intensity**' and clicking the '**Graph**' button.

## 5.1 GIS

If 'GIS' is selected as the **Source**, it is necessary to select the Rainfall Shape file. This file should cover the entire project area. After the Rainfall map ('Rainfall.shp') has been entered, click the '**Save**' button to save the data just entered.

NOAA 14 Rainfall -- Edit

**Rainfall Map**

C:\FCDMC\IST5.5.7\MAPS\KV\EXAMPLE3A\RAINFALL.SHP

Required Map Fields

**Data Source**


Source: GIS

**Average Rainfall Data for Project**

	2 yr	5 yr	10 yr	25 yr	50 yr	100 yr
5 Min						
10 Min						
15 Min						
30 Min						
1 Hour						
2 Hour						
3 Hour						
6 Hour						
12 Hour						
24 Hour						

Save Cancel Print... Update OK

Click the '**Update**' button to process the **AVERAGE RAINFALL DATA FOR THE PROJECT**. Click '**Yes**' to continue.



After the update, click the '**OK**' button to close the **NOAA14 RAINFALL** form.

	2 yr	5 yr	10 yr	25 yr	50 yr	100 yr
5 Min	0.245	0.331	0.398	0.489	0.558	0.629
10 Min	0.373	0.505	0.606	0.744	0.849	0.957
15 Min	0.462	0.626	0.752	0.922	1.052	1.187
30 Min	0.622	0.843	1.012	1.241	1.417	1.598
1 Hour	0.770	1.043	1.253	1.536	1.754	1.978
2 Hour	0.885	1.183	1.410	1.720	1.956	2.201
3 Hour	0.967	1.266	1.505	1.838	2.104	2.380
6 Hour	1.148	1.469	1.725	2.074	2.346	2.631
12 Hour	1.278	1.617	1.883	2.241	2.516	2.800
24 Hour	1.521	1.970	2.324	2.818	3.207	3.613

## 5.2 Manual

If '*Manual*' is selected as the **Source**, it is necessary to select the appropriate cells to develop the Rainfall data. Click the '**Maps**' button (in **DATA SOURCE** data group) and determine the project location. For this tutorial project, Map No '64' will be used.

Each map has a Township and Range (T02NR04E for this example) information to assist in locating the project. Street atlas maps (not included here) often show the Township and Range information. Each cell size on the map is at most 160 acres, and this is the recommended upper limit where the Rational Method is most effective. Selecting a single cell that is reasonably close to the project area will produce reasonable results because rainfall does not change significantly between adjacent cells.

Click the selection button on the right side of the **Map Index** textbox and select '64' from the drop down list. Enter '1365' in the **From (No)** textbox field. Click '**Save**' to save the data entered, then click the '**Update**' button to evaluate the rainfall data for the project.

Map	From	To
64	1365	

**Multiple Map Selection**

Map Index: 64  
From (No): 1365  
To (No):

**Data Source**

Source: MANUAL  
Maps

**Average Rainfall Data for Project**

	2 yr	5 yr	10 yr	25 yr	50 yr	100 yr
5 Min						
10 Min						
15 Min						
30 Min						
1 Hour						
2 Hour						
3 Hour						
6 Hour						
12 Hour						
24 Hour						

Info Delete Add Print... Update OK

**Update NOAA14 Rainfall**

*i* This will update all the rainfall return periods and durations for Rainfall ID: DEFAULT

Do you want to continue?

Yes No

After the update, click the '**OK**' button, to close the **NOAA RAINFALL** form.





Land Use Defaults

List Details

Look for  Custom

Sort ▲	Code	Group	C2	C5	C10	C25	C50	C100	Kb	Description
	110	Residential	0.42	0.42	0.42	0.46	0.50	0.53	MIN	Rural Residential (<= 1/2
	120	Residential	0.42	0.42	0.42	0.46	0.50	0.53	MIN	Estate Residential (1/5 c
	130	Residential	0.48	0.48	0.48	0.53	0.58	0.60	MIN	Large Lot Residential - S
	140	Residential	0.55	0.55	0.55	0.63	0.68	0.71	MIN	Medium Lot Residential
	150	Residential	0.65	0.65	0.65	0.72	0.78	0.82	MIN	Small Lot Residential - S
	160	Residential	0.75	0.75	0.75	0.83	0.90	0.94	MIN	Very Small Lot Residenti
	170	Residential	0.75	0.75	0.75	0.83	0.90	0.94	MIN	Medium Density Resider
	180	Residential	0.75	0.75	0.75	0.83	0.90	0.94	MIN	High Density Residential
	190	Residential	0.75	0.75	0.75	0.83	0.90	0.94	MIN	Very High Density Resid
	200	Commercial	0.85	0.85	0.85	0.94	0.95	0.95	MIN	General Commercial (C
	210	Commercial	0.85	0.85	0.85	0.94	0.95	0.95	MIN	Specialty Commercial (<
	220	Commercial	0.85	0.85	0.85	0.94	0.95	0.95	MIN	Neighborhood Commer
	230	Commercial	0.85	0.85	0.85	0.94	0.95	0.95	MIN	Community Commercial
	240	Commercial	0.85	0.85	0.85	0.94	0.95	0.95	MIN	Regional Commercial (E
	250	Commercial	0.85	0.85	0.85	0.94	0.95	0.95	MIN	Super-Regional Comme
	300	Industrial	0.80	0.80	0.80	0.88	0.95	0.95	MIN	General Industrial (Indus

Info ReSort Copy Print... Delete Add OK

Click on the **'OK'** button to close the **LAND USE DEFAULTS** form.


## 7.0 ESTABLISH MAJOR BASIN ID'S

Select **'Hydrology → Major Basins'** to access the Major Basins data. **DDMSW** automatically establishes at least one Major Basin (01) when creating a new project. Since we will only have one major basin in this project, there is no need for further modification at this time. The area will be updated when updating the Sub Basins. Click the **'OK'** button to close the **MAJOR BASINS** form.

## 8.0 ESTABLISH THE SUB BASIN AND LAND USE DATA USING GIS

Sub Basin data can be developed automatically through GIS. If the GIS data is open, make sure nothing is in the Edit mode.

1. Digitize the Sub Basin polygons (*SUBBASINS.SHP*). Create two attribute fields for the Sub Basins, namely: **AreaID** and **BasinID**. For each Sub Basin, enter the data values for these attribute fields. .
2. Digitize the Time of Concentration polylines (*TC.SHP*) representing the flow paths for the Sub Basins. It is important that the Tc polylines are digitized within the Sub Basin areas, Create two attribute fields for the Tc, namely: **USGE** (which is the upstream ground elevation), and **DSGE** (which is the downstream ground elevation). It is not necessary to enter any other data for the Tc polylines.
3. Digitize the Land Use polygons (*LANDUSE.SHP*) or obtain it from appropriate authorities). Create one attribute field called, **LUCODE**, and enter the land use code for each land use polygon. The land use codes used for the project should match the land use codes in the land use defaults.



When all the data has been digitized, go to **'Maps → Update Hydrology'**. Check the **Land Use** and **Tc** checkboxes in the **UPDATE OPTIONS** group data. Make sure the **Major Basin '01'** is selected. Select the Sub Basins, Land Use and Tc maps (i.e., *SUBBASINS.SHP*, *LANDUSE.SHP*, and *TC.SHP*) using the adjacent buttons. On the **Land Use Code** textbox, enter '*LUCODE*'. Click the **'Update'** button to load (or update) the Sub Basin, Land Use, and Tc data to be used for building the hydrologic model of project.

Update hydrology from GIS - MB: 01

**Name and Path of Maps for Hydrology**

Sub Basins C:\FCDMC\ST5.5.7\Maps\KV\EXAMPLE3\SUBBASINS.shp

Land Use C:\FCDMC\ST\MAPS\KV\EXAMPLE3\LAND USE.SHP

Tc C:\FCDMC\ST5.5.7\Maps\KV\EXAMPLE3\TC.shp

Required Map Fields

**Update Options**

☒ Sub Basin

☒ Land Use

☒ Tc

**Major Basin**

Major Basin 01

**Map File Key Field Name**

Land Use Code LUCODE

Info Check Log Update OK

The **SUB BASINS** (**'Hydrology → Sub Basins'**) and **LAND USE** (**'Hydrology → Land Use'**) forms are provided below:

Sub Basins - MB: 01

List Details

**Sub Basin**

Major Basin 01

Sub Basin 010101

Sort 10

**Sub Basin Parameters**

Area (acres) 27.23

Length (ft) 1537

USGE (ft) 996.5

DSGE (ft) 993.0

Slope (ft/mi) 12.0

Value Default Custom

Kb 0.031 0.031

**Sub Basin Hydrology Summary**

	2 yr	5 yr	10 yr	25 yr	50 yr	100 yr
Q (cfs)	28.2	42.0	52.8	74.4	90.4	104.5
CA (ac)	19.61	19.61	19.61	21.51	22.33	22.33
Vol (ac-ft)	1.2601	1.6141	1.8641	2.3805	2.7262	2.9785
Custom Tc	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tc (min)	24.3	20.9	19.2	17.4	16.4	15.5
i (in/hr)	1.44	2.14	2.69	3.46	4.05	4.68

Comments

Info ReSort Print... Delete Add MB Update OK

Land Use - MB: 01

List Details

**Land Use**

Major Basin ID 01

Sub Basin ID 010101

Land Use Code R-4

Area (acres) 17.74

Area (%) 65.2

Single/Multi Family Zoning District R-4

**Land Use Data**

	Value	Default	Custom
2-Year C	0.75	0.75	<input type="checkbox"/>
5-Year C	0.75	0.75	<input type="checkbox"/>
10-Year C	0.75	0.75	<input type="checkbox"/>
25-Year C	0.83	0.83	<input type="checkbox"/>
50-Year C	0.85	0.85	<input type="checkbox"/>
100-Year C	0.85	0.85	<input type="checkbox"/>
Resistance Coefficient (Kb)	MIN	MIN	<input type="checkbox"/>

Info Copy Print... Delete Add MB OK

## 9.0 ESTABLISHING THE SUB BASIN DATA MANUALLY

If GIS files are not available, the required Sub Basins data can be manually entered. Select **'Hydrology → Sub Basins'** to open the **SUB BASINS** form.

Click **'Add'** to enter the first Sub Basins record. Enter the following data on the named textboxes:

<b>Sub Basin</b>	010101
<b>Area (acres)</b>	27.23
<b>Length (ft)</b>	1537.00
<b>USGE (ft)</b>	996.50
<b>DSGE (ft)</b>	993.00

Click **'Save'** to save the data and then **'Add'** for the next record.

<b>Sub Basin</b>	010102
<b>Area (acres)</b>	25.11
<b>Length (ft)</b>	1520.00
<b>USGE (ft)</b>	1001.50
<b>DSGE (ft)</b>	997.00

Click **'Save'** to save the data and then **'Add'** for the next record.

<b>Sub Basin</b>	010103
<b>Area (acres)</b>	23.99
<b>Length (ft)</b>	1694.00
<b>USGE (ft)</b>	1002.50
<b>DSGE (ft)</b>	1001.00

Click **'Save'** to save the data and then **'Add'** for the next record.

<b>Sub Basin</b>	010201
<b>Area (acres)</b>	5.25
<b>Length (ft)</b>	627.00
<b>USGE (ft)</b>	1000.00
<b>DSGE (ft)</b>	999.00

Click **'Save'** to save the data and then **'Add'** for the last record.

<b>Sub Basin</b>	010301
<b>Area (acres)</b>	30.36
<b>Length (ft)</b>	1818.00
<b>USGE (ft)</b>	999.00
<b>DSGE (ft)</b>	996.00

Click **'OK'** to close the **SUB BASINS** form.

## 10.0 ESTABLISHING THE LAND USE DATA MANUALLY

Select **'Hydrology → Land Use'** to access the **LAND USE** form

Click on **'Add'** for the first Land Use record.

<b>Sub Basin ID</b>	010101 (Use adjacent button to select)
<b>Land Use Code</b>	130 (Use adjacent button to select)
<b>Area (Acres)</b>	17.74

Click **'Save'** to save the data and then **'Add'** for the next record.

<b>Sub Basin ID</b>	010101 (Use adjacent button to select)
<b>Land Use Code</b>	150 (Use adjacent button to select)
<b>Area (Acres)</b>	9.48

Click **'Save'** to save the data and then **'Add'** for the next record.

<b>Sub Basin ID</b>	010102 (Use adjacent button to select)
<b>Land Use Code</b>	250 (Use adjacent button to select)
<b>Area (Acres)</b>	0.10

Click **'Save'** to save the data and then **'Add'** for the next record.

<b>Sub Basin ID</b>	010102 (Use adjacent button to select)
<b>Land Use Code</b>	130 (Use adjacent button to select)
<b>Area (Acres)</b>	1.71

Click **'Save'** to save the data and then **'Add'** for the next record.

<b>Sub Basin ID</b>	010102 (Use adjacent button to select)
<b>Land Use Code</b>	150 (Use adjacent button to select)
<b>Area (Acres)</b>	23.38

Click **'Save'** to save the data and then **'Add'** for the next record.

<b>Sub Basin ID</b>	010103 (Use adjacent button to select)
<b>Land Use Code</b>	250 (Use adjacent button to select)
<b>Area (Acres)</b>	15.33

Click **'Save'** to save the data and then **'Add'** for the next record.

<b>Sub Basin ID</b>	010103 (Use adjacent button to select)
<b>Land Use Code</b>	130 (Use adjacent button to select)
<b>Area (Acres)</b>	0.10

Click **'Save'** to save the data and then **'Add'** for the next record.

<b>Sub Basin ID</b>	010103 (Use adjacent button to select)
<b>Land Use Code</b>	160 (Use adjacent button to select)
<b>Area (Acres)</b>	0.40

Click **'Save'** to save the data and then **'Add'** for the next record.

<b>Sub Basin ID</b>	010103 (Use adjacent button to select)
<b>Land Use Code</b>	150 (Use adjacent button to select)
<b>Area (Acres)</b>	8.59

Click **'Save'** to save the data and then **'Add'** for the next record.

<b>Sub Basin ID</b>	010201 (Use adjacent button to select)
<b>Land Use Code</b>	150 (Use adjacent button to select)
<b>Area (Acres)</b>	5.02

Click **'Save'** to save the data and then **'Add'** for the next record.

<b>Sub Basin ID</b>	010301 (Use adjacent button to select)
---------------------	--



<b>Land Use Code</b>	130 (Use adjacent button to select)
<b>Area (Acres)</b>	9.84

Click '**Save**' to save the data and then '**Add**' for the next record.

<b>Sub Basin ID</b>	010301 (Use adjacent button to select)
<b>Land Use Code</b>	150 (Use adjacent button to select)
<b>Area (Acres)</b>	20.51

Click '**Save**' to save the data and then click '**OK**' to close the **LAND USE** form.

## 11.0 UPDATE SUB BASIN DATA - MANUAL

Once all the Sub Basin and Land Use data has been entered, select '**Hydrology** → **Sub Basins**' to open the **SUB BASINS** form. Click the '**Details**' tab to view all the data for a particular record. Click '**Update**' to update the data.

The screenshot shows the 'Sub Basins - MB: 01' window with the 'Details' tab selected. The 'Sub Basin' section shows 'Major Basin' as 01 and 'Sub Basin' as 010101. The 'Sub Basin Parameters' section lists various attributes like Area, Length, USGE, DSGE, Slope, and Kb. The 'Sub Basin Hydrology Summary' table provides data for different return periods (2 yr to 100 yr) for Q, CA, Vol, Tc, and i. The 'Comments' section is empty. At the bottom, there are buttons for Info, ReSort, Print, Delete, Add, MB, Update, and OK.

	2 yr	5 yr	10 yr	25 yr	50 yr	100 yr
Q (cfs)	21.3	31.5	39.5	56.5	71.9	86.9
CA (ac)	14.70	14.70	14.70	16.34	17.70	18.52
Vol (ac-ft)	0.9518	1.2106	1.3946	1.8078	2.1683	2.4768
Custom Tc	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tc (min)	24.3	20.9	19.2	17.4	16.4	15.5
i (in/hr)	1.45	2.14	2.69	3.46	4.06	4.69

Click '**OK**' to close the **SUB BASINS** form and continue.

## 12.0 ESTABLISH CONVEYANCE FACILITY DATA

Select '**Hydraulics** → **Conveyance Facilities**' to access the **CONVEYANCE FACILITIES** form. Select the **Details** tab and click on '**Add**' to add the first record.

Conveyance Facilities - MB: 01

List

ID

MB ID 01

Facility ID 010101

Line ID 10

Sort 10

Model Options

RP (yrs) 2

Q (cfs) 54.0

Model Road ☐

First Pipe ☐ Outfall ☐

Elevations

	U/S (ft)	D/S (ft)
Ground	993.00	988.00
Invert	988.00	984.00

Section Type

Section Pipe

Length (ft) 1323.96

Manning's n 0.013

Diameter (in) 54

No. of Barrels 1

No. of Manholes 0

Comments

Calculations

Capacity (cfs) 108.0

Slope (ft/ft) 0.0030

Velocity (fps) 7.7

	Q (cfs)	Upstream HGL (ft)
2 Yr	54.0	
5 Yr	78.4	
10 Yr	97.6	
25 Yr	135.7	
50 Yr	164.6	
100 Yr	193.7	

Info ReSort Print... Delete Add Graph MB Update OK

Enter the following data for the first record.

PARAMETERS	VALUES
Facility ID	010101
Line ID	10
Sort	10 (Sort from downstream to upstream)
RP (yrs)	2 (Use adjacent button to select)
Model Road	Check
Outfall	Check
D/S Pipe ID	<b>Leave Blank</b>
Section	Pipe
Length (ft)	1323.96
Manning's n	0.013 (Use adjacent button to select)
Diameter (in)	54
No. of Barrels	1
No. of Manholes	0
Road ID	MC-RMAR (Use adjacent button to select)
Ground U/S (ft)	993.00
Ground D/S (ft)	988.00
Invert U/S (ft)	988.00
Invert D/S (ft)	984.00

Click **'Save'** to save the data just entered and then click **'Add'** to enter the second record.

PARAMETERS	VALUES
Facility ID	010102
Line ID	10
Sort	20 (Sort from downstream to upstream)
RP (yrs)	2 (Use adjacent button to select)
Model Road	Check
Section	Pipe
Length (ft)	1348.26
Manning's n	0.013 (Use adjacent button to select)
Diameter (in)	48
No. of Barrels	1
Road ID	MC-RMAR (Use adjacent button to select)
Ground U/S (ft)	997.00
Ground D/S (ft)	993.00
Invert U/S (ft)	990.00
Invert D/S (ft)	988.00

Click **'Save'** to save the data just entered and then click **'Add'** to enter the third record.

PARAMETERS	VALUES
Facility ID	010103
Line ID	10
Sort	30 (Sort from downstream to upstream)
RP (yrs)	2 (Use adjacent button to select)
Model Road	Check
First Pipe	Check
Section	Pipe
Length (ft)	1299.65
Manning's n	0.013 (Use adjacent button to select)
Diameter (in)	36
No. of Barrels	1
Road ID	MC-RMAR (Use adjacent button to select)
No. of Manholes	0
Ground U/S (ft)	1001.00
Ground D/S (ft)	997.00
Invert U/S (ft)	994.00
Invert D/S (ft)	991.25

Click **'Save'** to save the data just entered and then click **'Add'** to enter the fourth record.

PARAMETERS	VALUES
Facility ID	010201
Line ID	20
Sort	40 (Sort from downstream to upstream)
RP (yrs)	2 (Use adjacent button to select)
Model Road	Check
First Pipe	Check
Outfall	Check
D/S Pipe ID	010102 (Use adjacent button to select)
Section	Pipe
Length (ft)	1007.07
Manning's n	0.013 (Use adjacent button to select)
Diameter (in)	24
No. of Barrels	1
Road ID	MC-RMAR (Use adjacent button to select)
No. of Manholes	0
Ground U/S (ft)	999.00
Ground D/S (ft)	994.00
Invert U/S (ft)	992.00
Invert D/S (ft)	990.00

Click '**Save**' to save the data just entered and then click '**Add**' to enter the fifth and last record.

PARAMETERS	VALUES
Facility ID	010301
Line ID	30
Sort	50 (Sort from downstream to upstream)
RP (yrs)	2 (Use adjacent button to select)
Model Road	Check
First Pipe	Check
Outfall	Check
D/S Pipe ID	010101 (Use adjacent button to select)
Section	Pipe
Length (ft)	1318.30
Manning's n	0.013 (Use adjacent button to select)
Diameter (in)	36
No. of Barrels	1
Road ID	MC-RMAR (Use adjacent button to select)
No. of Manholes	0

PARAMETERS	VALUES
Ground U/S (ft)	996.00
Ground D/S (ft)	993.00
Invert U/S (ft)	992.00
Invert D/S (ft)	988.50

Click '**OK**' to close the **CONVEYANCE FACILITIES** form and continue.

### 13.0 ESTABLISH THE MODEL NETWORK

Select '**Hydrology → Rational Method → Network**' to access the model Network data.

Rational Method Network - MB: 01

Look for  First Pipe

Sort	ID	Type	Combine
2	010103	Sub Basin	
4	010103	Convey	
6	010103	Hold	
8	010201	Sub Basin	
9	010201	Convey	
10	010103	Receive	
12	010102	Sub Basin	
14	010102	Combine	3
16	ST0102	Storage	
18	010102	Convey	
20	010102	Hold	
22	010301	Sub Basin	
24	010301	Convey	
26	010102	Receive	
28	010101	Sub Basin	
30	010101	Combine	3
32	010101	Convey	

**Network**

Major Basin ID

Sort

Type

ID

Click on '**Add**' to add the first record. Enter the following data:

PARAMETERS	VALUES
Type	Sub Basin
ID	010103 (Use adjacent button to select)
Sort	10

Click '**Save**' to save the record. Click '**Add**' to enter the second record.

PARAMETERS	VALUES
Type	Convey
ID	010103 (Use adjacent button to select)
Sort	20

PARAMETERS	VALUES
First Pipe	Check

Click **‘Save’** to save the record. Click **‘Add’** to enter the third record.

PARAMETERS	VALUES
Type	Hold
ID	010103 (Use adjacent button to select)
Sort	30
First Pipe	Check

Click **‘Save’** to save the record. Click **‘Add’** to enter the fourth record.

PARAMETERS	VALUES
Type	Sub Basin
ID	010201 (Use adjacent button to select)
Sort	40

Click **‘Save’** to save the record. Click **‘Add’** to enter the fifth record.

PARAMETERS	VALUES
Type	Convey
ID	010201 (Use adjacent button to select)
Sort	50
First Pipe	Check

Click **‘Save’** to save the record. Click **‘Add’** to enter the sixth record.

PARAMETERS	VALUES
Type	Receive
ID	010103 (Use adjacent button to select)
Sort	60
First Pipe	Check

Click **‘Save’** to save the record. Click **‘Add’** to enter the seventh record.

PARAMETERS	VALUES
Type	Sub Basin
ID	010102 (Use adjacent button to select)
Sort	70

Click **‘Save’** to save the record. Click **‘Add’** to enter the eighth record.

PARAMETERS	VALUES
Type	Combine
ID	010102 (Use adjacent button to select)
Sort	80

<b>Combine</b>	3 (Combines prior three records)
----------------	----------------------------------

Click **'Save'** to save the record. Click **'Add'** to enter the ninth record.

PARAMETERS	VALUES
<b>Type</b>	Storage
<b>ID</b>	ST0102 (Use adjacent button to select)
<b>Sort</b>	90

Click **'Save'** to save the record. Click **'Add'** to enter the tenth record.

PARAMETERS	VALUES
<b>Type</b>	Convey
<b>ID</b>	010102 (Use adjacent button to select)
<b>Sort</b>	100

Click **'Save'** to save the record. Click **'Add'** to enter the eleventh record.

PARAMETERS	VALUES
<b>Type</b>	Hold
<b>ID</b>	010102 (Use adjacent button to select)
<b>Sort</b>	110

Click **'Save'** to save the record. Click **'Add'** to enter the 12<sup>th</sup> record.

PARAMETERS	VALUES
<b>Type</b>	Sub Basin
<b>ID</b>	010301(Use adjacent button to select)
<b>Sort</b>	120

Click **'Save'** to save the record. Click **'Add'** to enter the 13<sup>th</sup> record.

PARAMETERS	VALUES
<b>Type</b>	Convey
<b>ID</b>	010301(Use adjacent button to select)
<b>Sort</b>	130
<b>First Pipe</b>	Check

Click **'Save'** to save the record. Click **'Add'** to enter the 14th record.

PARAMETERS	VALUES
<b>Type</b>	Receive
<b>ID</b>	010102 (Use adjacent button to select)
<b>Sort</b>	140

Click **'Save'** to save the record. Click **'Add'** to enter the 15th record.

PARAMETERS	VALUES
Type	<i>Sub Basin</i>
ID	<i>010101 (Use adjacent button to select)</i>
Sort	<i>150</i>


Click '**Save**' to save the record. Click '**Add**' to enter the 16th record.

PARAMETERS	VALUES
Type	<i>Combine</i>
ID	<i>010101 (Use adjacent button to select)</i>
Sort	<i>160</i>
Combine	<i>3 (Combines prior three records)</i>

Click '**Save**' to save the record. Click '**Add**' to enter the 17th record.

PARAMETERS	VALUES
Type	<i>Convey</i>
ID	<i>010101 (Use adjacent button to select)</i>
Sort	<i>170</i>

Click '**Save**' to save the record. Click the '**Check Network**' button to determine if the model network that was built has issues.




Click '**OK**' to exit the dialog box. Click '**OK**' to close the **RATIONAL METHOD NETWORK** form and continue.

## 14.0 RUN RATIONAL METHOD MODEL


Select '**Hydrology → Rational Method → Model**' to access the **RUN RATIONAL METHOD MODEL** form.

Enter the data as shown on the following screen. Click '**Save**' to save the Model Run settings. Click '**Run Model**' to execute the model for the one return period selected.





If the model runs correctly, check all the Return Periods and re-run the model.



To view the model run results, click the **'Results'** button on the **RUN RATIONAL METHOD MODEL** form.

Rational Method Flow Summary - MB: 01

List Details

Look for  First Pipe

Sort	ID	Type	RP	Combine	CA	I	Qpeak	Vel	Length	Tpipe	Tpeak
10	010103	Sub Basin	10		18.72	2.01	37.6				30
20	010103	Convey	10		18.72		37.6	4.3	1300	5.0	35
30	010103	Hold	10		18.72		37.6				35
40	010201	Sub Basin	10		3.41	3.15	10.7				14
50	010201	Convey	10		3.41		10.7	3.2	1007	5.2	19
60	010103	Receive	10		18.72		37.6				35
70	010102	Sub Basin	10		16.08	2.83	45.5				17
80	010102	Combine	10	3	38.21		70.5				19
90	ST0102	Storage	10		38.21		23.0				54
100	010102	Convey	10		38.21		23.0	4.4	1348	5.1	56
110	010102	Hold	10		38.21		23.0				56
120	010301	Sub Basin	10		20.04	2.37	47.5				24
130	010301	Convey	10		20.04		47.5	4.9	1318	4.5	29
140	010102	Receive	10		38.21		23.0				56
150	010101	Sub Basin	10		14.70	2.69	39.5				19
160	010101	Combine	10	3	72.95		87.1				29

Info Export Print... Graph View MB OK

Rational Method Flow Summary - MB: 01

List Details

Look for  First Pipe

Sort	ID	Type	RP	Combine	CA	I	Qpeak	Vel	Length	Tpipe	Tpeak	Volume
10	010103	Sub Basin	10		17.04	2.01	34.3				30.0	0.0000
20	010103	Convey	10		17.04		34.3	4.3	1300	5.0	35.0	0.0000
30	010103	Hold	10		17.04		34.3				35.0	0.0000
40	010201	Sub Basin	10		3.41	3.15	10.7				14.0	0.0000
50	010201	Convey	10		3.41		10.7	3.2	1007	5.2	19.0	0.0000
60	010103	Receive	10		17.04		34.3				35.0	0.0000
70	010102	Sub Basin	10		16.58	2.83	46.9				17.0	0.0000
80	010102	Combine	10	3	37.03		70.3				19.0	0.0000
90	ST0102	Storage	10		37.03		22.3				52.0	0.0000
100	010102	Convey	10		37.03		22.3	4.4	1348	5.1	56.0	0.0000
110	010102	Hold	10		37.03		22.3				56.0	0.0000
120	010301	Sub Basin	10		20.65	2.37	48.9				24.0	0.0000
130	010301	Convey	10		20.65		48.9	4.9	1318	4.5	29.0	0.0000
140	010102	Receive	10		37.03		22.3				56.0	0.0000
150	010101	Sub Basin	10		19.61	2.69	52.8				19.0	0.0000
160	010101	Combine	10	3	77.29		97.6				29.0	0.0000
170	010101	Convey	10		77.29		97.6	6.8	1324	2.3	22.0	0.0000

Info Export Print... Graph View MB OK

Click 'OK' to exit the RATIONAL METHOD FLOW SUMMARY form. Click 'OK' to exit the RUN RATIONAL METHOD MODEL form.

## 15.0 UPDATE CONVEYANCE FACILITIES

Select '**Hydraulics → Conveyance Facilities**' to access the CONVEYANCE FACILITIES form. Click on '**Update**' to update the hydraulics data with the design flows. If pipe sizes

need to change, then keep updating until satisfied with the capacities. When finished, re-run the Rational Method Model and re-run the Conveyance Facilities Update.

## 16.0 BACKUP PROJECT

This final step is important. Backup your projects on a regular basis. You will save yourself from wasted time and unnecessary stress, if you keep a backup copy of your project. The backup process is done as follows:

Select '**File** → **Project Management**' to access the **PROJECT MANAGEMENT** form. Select '**Backup Project**' as the Action and select the project you want to backup (Use the adjacent button select the project). Click the '**Backup**' button to backup the project and select the directory where your backup project file should go. Finally, click '**OK**' to continue. Once the backup is completed, click '**OK**' to close the **PROJECT MANAGEMENT** form.

